# MAXIMUM ACHIEVABLE CONTROL TECHNOLOGY (MACT) STANDARDS DEVELOPMENT INFORMATION COLLECTION REQUEST

### Hardwood Plywood and Veneer

#### I. Instructions

This information request is to be completed for operations that comprise the plywood and particleboard manufacturing source category at your plant. The plywood and particleboard source category includes facilities that manufacture oriented strandboard (OSB), waferboard, hardboard, fiberboard, medium density fiberboard (MDF), particleboard (including particleboard made from straw and/or other agricultural fiber), hardwood and softwood plywood, hardwood and softwood veneer, laminated veneer lumber, and other engineered wood products. In addition, the plywood and particleboard source category may also include lumber drying kilns. Therefore, this survey is requesting information on lumber kilns which are located on the same site as (co-located with) a facility that manufactures any of the wood products mentioned above. This survey does not include stand-alone sawmill operations.

For purposes of this survey, hardwood plywood is considered to be a product made by gluing hardwood veneer to some wood-based substrate. The substrate could be additional layers of hardwood veneers, softwood plywood, particleboard, MDF, or another wood product. The information collected in this survey will allow the EPA to ascertain the types of wood products manufactured with hardwood veneers, and will assist the EPA in developing an appropriate definition of hardwood plywood.

We are requesting plant-specific information on operations at your facility that use or emit hazardous air pollutants (HAP's). Fill out this information request as completely as possible from existing information. At a minimum, provide information on the <u>presence</u> of HAP emissions. No additional monitoring or emission testing is required by your company to respond to this request. If the answer to a question is unknown (UK), unavailable (UA), or not applicable (NA), respondents should state whichever of these is applicable, rather than leaving the survey block blank.

The EPA understands that some of the requested information (e.g., annual production rates), may be considered confidential business information (CBI) by the survey respondents. As explained in the cover letter to this survey, EPA and its contractor will follow established procedures for protecting CBI. However, respondents must indicate which information in their survey responses they wish to claim as CBI. To assist the respondents, EPA has included a footnote at the bottom of each page of the survey that asks the respondent to indicate if the information entered on that page is confidential, nonconfidential, or partially confidential. Respondents that mark "partially confidential" are then asked to circle the specific responses that are considered CBI. Respondents should refer to the Enclosure 2 of the cover letter for information on what EPA considers CBI. For example, publicly available information and emissions data are not eligible for confidentiality claims.

If you have any questions regarding this request, please contact Ms. Penny Lassiter of EPA at (919) 541-5396 or by E-mail at lassiter.penny@epamail.epa.gov; Ms. Rebecca Nicholson of MRI at (919) 851-8181, ext. 5452 or bnicholson@mriresearch.org; or Ms. Katie Hanks of MRI at (919) 851-8181, ext. 5175 or khanks@mriresearch.org. For your convenience, we have provided in Attachment A additional information on the scope and purpose of this survey. Respondents should read this material before attempting to complete the survey. Attachment B is a copy of an example figure and example tables for the survey. Attachment C is a copy of the HAP list from Section 112(b) of the Clean Air Act. Please note that careful review of Attachments A through C and the instructions and footnotes in the questionnaire below, may significantly reduce the amount of time needed to fill out this information request. Processes, equipment, and materials that are excluded from this survey are noted in the attachments, instructions, and footnotes.

Return this information request and any additional information to:

Bruce C. Jordan, Director Emission Standards Division (MD-13) U. S. Environmental Protection Agency Office of Air Quality Planning and Standards Research Triangle Park, NC 27711

Attention: Penny E. Lassiter

### II. General Information

Name of plant:	
. Address of facility (1	mailing address and physical address if different):
	acility is located:
	able to answer questions about the completed survey:
Telephone Number(	(s): ()
ne information on this page is:	□ Nonconfidential □ Confidential

F.	Size	of company:			
	1.	the business enter parent company	erprise that owns the (specified in quest	nate number of emplois plant, including white ion E above) and all sents owned by the parts.	nere applicable the ubsidiaries,
		<50	100-249	500-999	>1,500
		50-99	250-499	1,000-1,499	
	2.	Please indicate bat this site.	pelow the total num	ber of employees at a	all facilities located
		<50	100-249	500-999	>1,500
		50-99	250-499	500-999 1,000-1,499	
	3.	to the production	n of veneer or plyv	tions at your facility wood? If so, please do of employees associated	escribe the
. Pro	oducts:				
	1.	at your facility.  Hardwood pl Hardwood vo Kiln-dried lu Other (please	lywood eneer mber e specify)	se check the wood pro	

 $\square$  Partially confidential (please circle confidential responses)

	2.	Please list the known major markets (such as furniture manufacture, marine vessels, housing, etc.) for the products manufactured at your plant (checked in question 1 above).
III.	Proc	cess Description
A.	Be s equi- prep "alre- diag	se provide a general description of the manufacturing process at your plant. ure to indicate in your description the numbers and types of processing pment used (e.g., 2 lathes, 4 dryers, 1 plywood press). You may wish to are a block flow diagram to simplify your process description. If you have an eady-prepared" process description, equipment list, and/or process flow ram (such as information supplied in a State permit application) you may the the information rather than preparing a separate process description.
B.	appr	se describe any planned expansions or additions of production equipment oved in the corporate budget for the next 5 years. Are any of the expansions quipment additions expected to significantly change air emissions from the t?
The info	ormatic	on on this page is:   Nonconfidential   Confidential

 $\square$  Partially confidential (please circle confidential responses)

C.	•	ot addressed in the above questions to the representation of the r	2
IV. Ve	eneer Plant Operations		
	ants that <u>manufacture vene</u> neer, skip ahead to Section	$\frac{eer}{V}$ should complete this section. If $V$ .	you do not manufacture
A.	List the approximate poat your plant in 1997:	ercentage of each wood species used	d to manufacture veneer
В.		nual production of veneer at your plant 10 MMSF, 1/8-inch basis)?	
C.		eer production capacity of your plan	~
D.	How many days per we	ay does the plant operate?eek does the plant operate?eyear does the plant operate?	day/wk
The i	1 6	<ul><li>□ Nonconfidential</li><li>□ Con</li><li>□ Partially confidential (please circle confidential)</li></ul>	fidential lential responses)

### V. Veneer Dryers

Plants that <u>dry hardwood or softwood veneer</u> should complete this section. If you do not dry veneer, skip ahead to Section VI.

Please complete Table 1 for each of the veneer dryers at your plant. Make additional copies of the table if needed.

TABLE 1: VENEER DRYERS

TADL	LE I. VENEER DI	KT LIKS	
VENEER DRYERS	DRYER NO.	DRYER NO.	DRYER NO.
1997 dryer throughput (provide units)			
Average 1997 dryer furnish, % hardwood % softwood			
Direct-fired, indirect-fired, or other (please explain)			
Dryer type: longitudinal, jet, or other (specify)			
Number of decks			
Number of zones			
Number of doors or sections			
Zone 1 temperature range, <sup>o</sup> F Zone 2 temperature range, <sup>o</sup> F Zone 3 temperature range, <sup>o</sup> F			
Exhaust gas flow rate, acfm @ <sup>o</sup> F <sup>a</sup> , b			
Percent moisture (by volume) in exhaust gas, %			
Are exhaust gases from the dryer recycled in any manner? If yes, indicate the following:  - Percent recycled to blend chamber  - Percent routed to combustion unit  - Percent exhausted directly to atmosphere or to control device  - Other percent (specify use)			
Type of air pollution control device or method (if any) <sup>C</sup>		·:c	

<sup>&</sup>lt;sup>a</sup>Provide flow rate in units of actual cubic feet per minute (acfm) and specify gas temperature.

The information on this page is:	☐ Nonconfidential	☐ Confidential
	☐ Partially confidential (please circle confidential responses)	

<sup>&</sup>lt;sup>b</sup>If exhaust from each zone passes through a separate stack and is not combined downstream of the veneer dryer prior to entering the atmosphere, please provide exhaust flow rates for each zone.

<sup>&</sup>lt;sup>c</sup>If you have an air pollution control device or method, please complete section IX.

### VI. Lumber Kilns

Plywood and/or veneer <u>plants that have a co-located sawmill with lumber kilns on the</u> plant site should complete this section. If you do not have lumber kilns on the same site as your plywood or veneer plant, skip ahead to section VII.

A.	How much dry lumber was dried in the lumber kilns at your plant in 1997 (please provide units - e.g., 20 MMBF)?
B.	What is the annual lumber production capacity of your plant (provide same units as in question A above)?
C.	How many co-located lumber kilns does the facility operate? Complete Table 2 below for each of the lumber kilns.

TABLE 2: CO-LOCATED LUMBER KILNS

LUMBER KILNS	KILN NO.	KILN NO.	KILN NO.
1997 throughput, MBF/yr <sup>a</sup>			
1997 kiln furnish: average percent hardwood, % average percent softwood, %			
Firing method: Direct-fired or indirect-fired			
Range in lumber moisture: green lumber, % moisture, dry basis dried lumber, % moisture, dry basis			
Range of kiln drying cycle length, hr			
Total number of vents			
What percentage (if any) of kiln exhaust gases are recirculated to a combustion unit?			
Type of air pollution control device or method (if any) <sup>b</sup>			

The information on this page is:	☐ Nonconfidential	☐ Confidential
	☐ Partially confidential (please circle confidential responses)	

<sup>&</sup>lt;sup>a</sup>MBF/yr - thousand board feet per year <sup>b</sup>If you have an air pollution control device or method, please complete section IX.

### VII. Plywood Plant Operations

Plants that <u>manufacture plywood</u> should complete this section. If you do not manufacture plywood, skip ahead to Section VIII.

y many hours por many days por many weeks use list the type wood.	per day does the er week does the per year does the sand amounts	e plant operate? _ the plant operate? the plant operate? of resins used in	1997 to man	hours/da day/wk wk/yr
w many days power wany weeks ase list the type wood.	er week does the per year does the sand amounts	he plant operate? he plant operate? of resins used in	1997 to man	day/wk wk/yr
vood.				ufacture hardw
			Sunyi	
hot presses	used to flatten	veneers		
hot presses use complete the presses used to	(typically multi- ne following tab o cure plywood	i-opening) used to le for each of the resin) you mention	hot presses	(i.e., multi-ope
a ]	hot presses hot presses ase complete the presses used to	hot presses used to flatten hot presses (typically multi- ase complete the following tab presses used to cure plywood	hot presses used to flatten veneers hot presses (typically multi-opening) used to ase complete the following table for each of the	hot presses (typically multi-opening) used to cure resin is ase complete the following table for each of the hot presses presses used to cure plywood resin) you mentioned in questions.

# TABLE 3: HOT PRESSES USED TO CURE PLYWOOD RESINS

PRESSES	PRESS NO.	PRESS NO.	PRESS NO.
Length (or range) of press cycle, min			
Board thickness range, in.			
Inlet board moisture content, % dry basis			
1997 press throughput, (provide units)			
Operating temperature range, <sup>O</sup> F			
Number of openings			
Opening size (length x width), ft			
Press heating method: hot oil, steam, or other (specify)			
Type of air pollution control device or method (if any) <sup>a</sup>			

<sup>&</sup>lt;sup>a</sup>If you have an air pollution control device or method, please complete section IX.

H.	Please describe the ventilation system in the area above the hot press(es) described in Table 3 above. Include in your description parameters such as the number of press vents, roof fans, and gas flow exhausted from the press area.

The information on this page is:	☐ Nonconfidential	☐ Confidential
	☐ Partially confidential (plea	ase circle confidential responses)

### VIII. Facility Emissions

All facilities should complete this section.

A. In Table 4, list each unit operation at your facility that is a source of HAP emissions and has not already been listed in your response to this questionnaire. DO NOT include the dryers and presses that you have already listed in Tables 1, 2, or 3 above. Emission sources such as sanding and sawing operations and pneumatic conveying systems for wood material should NOT be listed in Table 4. If the exhaust gas flowrates from some unit operations that you list in Table 4 are unknown or cannot be accurately estimated, write "not available" in the flow rate column. Ranges of flow rates or moisture contents can be listed for sources with variable flows and moisture contents.

TABLE 4: FACILITY EMISSION SOURCE CHARACTERIZATION

	THEIETT ENIBBIGN	BOOKEE CHARACTER	
Unit Operation/Emission Point	Average flow rate of gas stream, acfm @ <sup>o</sup> F	Percent moisture (by volume) in gas stream	Control device/method <sup>a</sup>

<sup>&</sup>lt;sup>a</sup>If you have an air pollution control device or method, please complete section IX.

☐ Nonconfidential	☐ Confidential
☐ Partially confidential (please circle confidential responses)	
	_

B.	Emi	ission Test Data:
	1.	Have any emission sources at your facility been tested for HAP's since <i>January 1, 1995</i> ? (Check one)
		Yes (Continue with Question 2, below.) No (Skip to Section IX, below.)
	2.	Using Table 5, identify each emission point that has been tested for HAP's since January 1, 1995; describe the sampling location (e.g., "after the scrubber"); provide the date the tests took place; specify which pollutants were tested; and list the source test methods used to measure each pollutant.
	3.	Do the test report(s) include process data (e.g., dryer throughput) such that emission factors could be developed that relate emissions to process parameters such as production? (Check one)
		<ul> <li>Yes (Continue with Question 4, below.)</li> <li>Some do, some don't (Continue with Question 4, below.)</li> <li>No (Skip to Section IX, below. A copy of the test report is not required at this time, but may be requested at a later date.)</li> </ul>
	4.	Have the results of the HAP emissions tests performed since January 1, 1995 been submitted to (please check):
		a. EPA? Yes No If yes, list EPA Division/contact name:
		b. NCASI? Yes No
		If the answers to Questions 4a and 4b are both No, please submit a complete copy of the test report(s) with your response to this survey.
		If the answer to either Question 4a or 4b is Yes, a copy of the test report(s) is not required at this time, but may be requested at a later date.
The in	formati	on on this page is:   Nonconfidential   Confidential

 $\square$  Partially confidential (please circle confidential responses)

# TABLE 5. EMISSIONS DATA COLLECTED SINCE JANUARY 1, 1995<sup>a</sup>

TEST DATA	Test	date:	Test date:		Test date:	
Name of unit operation or emission point tested						
Sampling location(s) <sup>b</sup>						
Pollutants (check pollutants tested and indicate test method used)	1	Test Method Used	<b>√</b>	Test Method Used	<b>✓</b>	Test Method Used
Methanol						
Formaldehyde						
Phenol						
Acetaldehyde						
Other HAP's (list below)						
PM/PM <sub>10</sub> <sup>c</sup>						
VOC/THC <sup>c</sup>						

The information on this page is:	☐ Nonconfidential	☐ Confidential
	☐ Partially confidential (please circle confidential responses)	

<sup>&</sup>lt;sup>a</sup>Make additional copies of this table as needed.

<sup>&</sup>lt;sup>b</sup>Sampling location refers to the point(s) at which the emissions were measured (e.g., before scrubber, directly after the product cyclone, etc.).

<sup>&</sup>lt;sup>c</sup>For the purposes of Table 5, only those particulate matter (PM), volatile organic compound (VOC), and total hydrocarbon (THC) data that were measured concurrently with the HAP emissions test should be listed.

### IX. Air Pollution Controls

The information on this page is:

If you indicated above that <u>your facility operates air pollution control devices</u>, you should complete this section. If you do not operate any air pollution control devices, you may skip this section.

Please complete Table 6 for each of the air pollution control device/method(s) used at your facility. If your facility uses a method to control air pollution emissions other than an add-on control device, please provide a detailed description of the air pollution control technique below. Do not list cyclones and baghouses for sanding or sawing operations; pneumatic conveying systems; or for wood material collection.			
TABLE 6:	AIR POLLUTION C	ONTROL DEVICES	
CONTROL DEVICES	CONTROL ID	CONTROL ID	CONTROL ID
Control device type <sup>a</sup>			
Equipment controlled			
Manufacturer and model number			
ear installed			
Exhaust gas flow at control evice inlet, acfm @ OF			
ressure drop, in. H <sub>2</sub> O			
Type of liquid used (e.g., caustic, ond water, etc if applicable)			
iquid recirculation rate, gal/min f applicable)			
ype of packing (if applicable)			
olid material collected (provide nly if material is not reused nsite), lb/yr - End use/method of disposal			
Blowdown generated, gal/min - Method of disposal			

☐ Nonconfidential

☐ Confidential

☐ Partially confidential (please circle confidential responses)